
Book 16 Climatic Data

ADA 036424

Seafarer Site Survey Upper Michigan Region

for U.S. Navy Naval Electronic Systems Command Washington, D.C.

EDAW inc.
under contract to
GTE Sylvania
Communication Systems Division



Approved a pain to observe

Best Available Copy

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1 REPORT NUMBER 2 GOV1 ACCESSION NO.	3 RECIPIENT'S CATALOG NUMBER
4 TITLE (und Subtitle)	5 TYPE OF REPORT & PERIOD CLIVERED
Seafarer Site Survey, Upper Michigan Region . Book 16, Climatic Data.	6 PERFORMING ORG, REPORT NUMBER
7- AUTHOR/s)	8 CONTRACT OR GRANT NUMBER(*) N00039-75-C-0309
PERFORMING ORGANIZATION NAME AND ADDRESS EDAW, Inc. 50 Green Street San Francisco, California 94111	10 PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Electronic Systems Command Special Communications Project Office Washington, D. C. 20360	April 1976
14 NITORING AGENCY NAME & ADDRESSLIT different from Controlling Office)	Unclassified Unclassified Unclassification/DOWNGRADING SCHEDULE
17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from	n Report)
18 SUPPLEMENTARY NOTES	
19 KEY WORDS (Continue on tever in side if necessary and identify by block number)	
ELF Communications Environment Seafarer Climate Site Survey Michigan	,
ate continental climate of the cool summer type. July and August with average approximate high and 56.5%, respectively. The coldest temperatures occ March with mean high temperatures falling between between 20% and 1.3%. The winter climate in the controlled and hence is relatively unpredictable a	The hottest summer months are low temperatures of 75°F and cur from December through 38.7°F and lows a study area is air mass
· · · · · · · · · · · · · · · · · · ·	
to year.	(over)

UNCLASSIFIED

20. Precipitation in the area is in the 30-32 inch range and average annual snowfalls range from 60 inches in the south to 120 inches in the

£,

BOOK 16

CLIMATIC DATA of the UPPER MICHIGAN REGION PROJECT SEAFARER

for U. S. Navy. Naval Electronic Systems Command

by EDAW, Inc., 50 Green Street, San Francisco 94111

Under Contract to GTE Sylvania, Communication Systems Division

April, 1976

Approved for possibilities,

Distribution United at a

CONTENTS

SUBJECT														
Summary														
<u>Evolution</u>	3													
Distinctive Units and Characteristics	4													
Introduction	4													
Illustrations of Climatic Data	4													
Relationship to Other Data	12													
Validity	13													
Form of Data Presentation	13													
Selection of Data Collection Points	13													
Data Sources	13													
Bibliography	14													
DATA MAP Climatic Data Map	5													
FIGURES														
Figure 1. Mean Minimum Temperature														
Figure 2. Mean Maximum Temperature	7													
Figure 3. Annual Normal Precipitation	8													
Figure 4. Maximum and Minimum Temperature														
Figure 5. Percent Humidity														
Figure 6. Maximum and Mean Precipitation	10													
Figure 7. Maximum and Mean Snow Fall	10													
Figure 8. Mean Number of Days with Thunderstorms														
righte o. Mean number or bays with indiacocolins	مقد مقد													
APPENDIX														
Climatic Data	15													

Call Similar Signal

SUMMARY

The Study Area has a temperate continental climate of the cool summer type. Winter temperatures along the Lake Superior shore are from 6°F to 8°F warmer than the rest of the area, and in the summer 5°F to 6°F cooler. The hottest months of the summer are July and August with average high temperatures from 75.7° to 74.0° and low temperatures from 57.6°F to 57.5°F. The recorded high for the area is 102°F at Marquette, Michigan, in August 1947. The coldest temperatures occur in December, January, February, and March. During these months the mean high temperatures fall between 38.7°F and 22.5°F with the mean low temperatures ranging from 20°F to 1.3°F. The record low temperature of -46°F was recorded in February of 1951, at Kenton Weather Station in Houghton County.

The maximum depth of freezing in the Study Area averages 5' but is highly variable and can range from the surface only to 10' below the surface. Variation in the frost line is directly related to the amount of snow cover, therefore, the deeper the average snowfall the shallower the frost line. The variability in temperature and precipitation from year to year results in a corresponding variation in the depth of freezing from year to year.

Precipitation in the Study Area is from less than 30" to more than 32" and is evenly distributed throughout the year. Because of the even distribution of precipitation there is no definite wet or dry season. However, the summer rainfall is harder and of a shorter duration than other seasons, making the periods without rain longer and the summer seem dryer.

Snowfall occurs in the Study Area from September until May. The mean total snow depth at Marquette for each of these months is from 0" to 25" with the monthly maximum up to 52.6". Average annual snowfall for the site ranges from 120" in the northeastern part of the Study Area to 60" in the southern tip (see Climatic Data Map). In Marquette the greatest snowfall on record for any winter was 189.1" during the 1890-1891 season. Least snowfall for any season was 53.4" in 1940-1941.

In Marquette the average date of the first occurrence of freezing temperatures in autumn is October 20. The mean annual freeze-free period varies over the Study Area from more than 120 days along the Lake Superior shoreline to less than 60 days in the west central part.

In the Study Area, large annual temperature ranges are common due to extremely cold winters. These cold temperatures are caused by the southward advance of polar highs. These polar air masses are composed of extremely cold dry air which dominates the area until storms moving up from the south can displace them. The climate of the Study Area in the winter is an air mass controlled climate, and because of this is relatively unpredictable as to its severity from one year to the next.

EVOLUTION

The Upper Peninsula of Michigan has a temperate continental climate of the cool summer type. This is, especially in the summer, a land controlled climate which extends from 35° to about 50° latitude and east of the 100 meridian in the northern interior of the United States and southern Canada.

Large annual temperature ranges are common in this zone due to extremely cold winters. The severity of winters differs greatly from year to year because their temperatures are primarily air mass controlled and so fluctuate with the advance and retreat of polar highs.

There are three major factors which affect the winter climate of the Study Area: polar outbreak highs moving south out of Canada, deep cyclonic storms moving north out of Texas, and the relationship of the Study Area to the Great Lakes.

Polar outbreak highs are usually preceded by mild, warm fronts which bring rain or snow. After these fronts move through the area, winds shift from southwest to north and initiate a rapid drop in temperature as the polar high advances southward. This temperature drop is referred to as a cold wave and is typical of the winters of a continental climate. Cold waves end when deep cyclonic storms, originating in Texas, move northward bringing with them warmer temperatures, and rain or snow. The climate of this region is also modified somewhat by the Great Lakes. In the fall the lakes decrease the severity of the first cold winds from the north by warming them slightly. They also increase the moisture content of the north winds, thus increasing the snowfall in the area. This increased snowfall, however, is a localized effect and extends only about 20 miles inland.

The summer temperatures are less controlled by storms and exhibit a greater diurnal regularity. Two major elements control the summer weather: hot waves, and cold front thunderstorms. Hot waves are a response to long continued advection of tropical air masses by south winds. Eastward advancing cold front thunderstorms end the hot waves, shifting the winds from the south to the northwest and bringing cooler temperatures to the area.

DISTINCTIVE UNITS AND CHARACTERISTICS

Introduction

One climate type extends over the entire Study Area. However, there is some variation due to the localized effect of the Great Lakes.

Illustrations of Climatic Data

The climatic data are delineated in three forms. The average annual snowfall is displayed on the Climatic Data Map; temperature and precipitation data are shown on small schematic maps (Figures 1, 2, and 3); and climatic data for the City of Marquette is plotted in graph form (Figures 4-8). (See Appendix A for exact readings used in making the graphs and additional climatic data.)

Seafarer Site Survey Upper Michigan Region

by EDAW inc. San Francisco, California

under contract to
GTE Sylvania
U.S. Navy
Communication Systems Division Naval Electronic Systems Command
Needham Heights, Massachusetts Washington, D.C.

CLIMATE

GENERALIZED SNOWFALL ZONES (Average Annual Snowfall in Inches)

L 1 6 Mile Square

110 - 130

90-110

+ 87 45

00.88

\$1.88 ↑

+88,30

\$7,83

+ 87*15 + 87*30

+ 87°00° 47°00

LANSE


46,45.


ISHPEMING


46.30

46, 15

3










FIGURE 4

MAXIMUM & MININUM TEMPERATURE (MARQUETTE, MICHIGAN)





FIGURE 5

PERCENT HUMIDITY (MARQUETTE, MICHIGAN)



F JURE 6

MAXIMUM & MEAN PRECIPITATION (MARQUETTE, MICHIGAN)




FIGURE 7





FIGURE 8



RELATIONSHIP TO OTHER DATA

The climate has a strong relationship to all of the other natural and cultural processes. It controls the life cycles of animals and plants, and the agricultural practices of man. It affects the character of the stream flow and the amount of ground water available.

The temperature and humidity of a climate are directly related to the effectiveness of mechanical cooling systems. Extreme and rapid changes in weather affect the curing time of concrete, the productivity and safety of workers, and the transportation of goods. The depth of freezing has a strong effect on all forms of construction.

VALIDITY

Form of Data Presentation

Climatic data have been recorded in three forms: a large-scale mylar map (1" = 2 miles) reduced for this report; small-scale schematic maps (Figures 1-3), and graphs of data from a typical weather station in the Study Area (Figures 4-8).

Snow depth data were plotted at the large scale, 1" = 2 miles. This was done because these data are a primary guide to the depth of freezing in the area. Therefore, in order that it may be used in the analysis process it was plotted at the same scale as the other data groups.

Mean maximum and minimum temperature and normal annual precipitation data are plotted on small scale schematic maps. This type of plotting allows one to understand the variation in climate over the site and then when reading the graphs for the Marquette weather station (represented by * on the small maps), the relationship of that data to the rest of the Study Area can be more clearly understood. The other relevant climatic data were plotted in graph form to emphasize their seasonal fluctuation.

Selection of Data Collection Points

The weather station at Marquette was the only one within the Study Area that had reasonably complete data. These data were therefore selected as the source for figures 4-8.

Data Sources

The source for the data used in plotting all graphs was the U. S. Department of Commerce National Oceanic and Atmospheric Administration, Environmental Data Service, Local Climatological Data of Marquette Michigan. Temperature and precipitation data were recorded for a 29 year period ending in 1960; snowfall data were recorded for 34 years ending in 1971; and humidity and thunderstorm data were recorded for 27 years ending in 1971.

The small-scale temperature and precipitation maps and large-scale snowfall map were all plotted from data recorded from 1931 until 1960 by the Micnigan Weather Service.

BIBLIOGRAPHY

- Supplement 2 to Attachment Learningan Upper Peninsula Site Characterization Guide, Evapared for Naval Electronic Systems Command, Speck and Communications Project Office, Sanguine Division, Ap. 20270.
- Trewartha, Glenn T., 1968. A. Introduction to Climate. 4th Ed., McGraw-Hill Boo', Co.
- U.S. Department of Commerce Levenal Oceanic and Atmospheric Administration Environmental Data Service, 1971. Local Climatological Data of Marquette, Michigan.
- U.S. Department of Commerce National Oceanic and Atmospheric Administration Environmental Data Service, 1959.
 Climatography of the United States, No. 60-20.
- U.S. Department of the Interior, Geological Survey, The National Atlas of the United States of America. Washington, D.C. 1970.

APPENDIX

CLIMATIC DATA

METEOROLOGICAL DATA FOR 1971

١	. w	•	, 1° % 10 12° ° 7	I		
<u> </u>	Ĺ	,	7.75-6	049990	(39900	
		٠,		25 NE ~0	030,27	* <u>*</u> * *
	The me had		9 4 4 4 - 4 4 - 4	32. To 30	20055	
	1.5	2, 14,7	\$	งจับจก=		
		_	5.0 25	#- a ==	**************************************	
4 ا			top Greek			
ان دو لارائ			7-PO181-5081.			
} :	1	31	يده. ادد بدا. ا داسه بده	207	000000	
l	<u> </u>		() IA ((L.	220222	*======	
	-	_	Clace, Precis terms	222222	22222	<u> </u>
				2002.00	0000	 ;
			Altaid	~on.ogo		- -
	Ļ.,		1695.)			
_			7 (24 mgstoch 144 of 14 1444	******		.;
		314	ارده دد: دو اب م	28:323	250322	3
	ي		2175	8222:8	* 22555	<u> </u>
	A series		- Goutson's	22-25g	25~55	3
4	-	:	pools	772272	202270	24
2 Da: 5	-	!	بدروء و درور		·	
	-	-	panis			
	1		port sort			
-	1	_	.H. Z			
de whom Rate do y	ľ	-	H 2 }			
4114	ſ.				-	
	L	٠,	и 5			
	١;		25.0	21.5	29-30	44
	7. 6. 7. 6.		भवत्र	104010	00007	
	:		3, 1291,412	20000	0.00044	5.0
N 412 W			1997			
			ى- د		235775	ž~
		-		20000m		- \
			11 11 11 11 11 11 11 11 11 11 11 11 11			
			I-MI	770377	227 AM	33.65
;		٦	t alect	22000	255,00	762
Chart sea	,			00000000000000000000000000000000000000	Carioria Spanna	0254
٤	 	4		210020	22222	
	_ ا		#1948 	ก "" "" รู้อากกุ๋ก	777722 77772	÷
	1	-	11757		######################################	
	ءُ ا			75225 75225	####### ######	ડું?
			11.54 <u>4</u> H			_
. !	i i		, ,		201045	
)		.×.		* * * * * * * * * * * * * * * * * * *	35.3
			-141-	*	F 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	**
	L.,				FERRICA FIRST CAR FIRST CAR FIRST CAR	-
				7	1,831,3	*

U. S. Department of Commerce Naticzal Oceanic and Atmospheric Administration Environmental Data Service Publication. Local Climatological Data of Marquette, Michigan. Source:

Dimensional Units:

Temperature - Degrees Fahrenheit Precipitation - Inches Snowfall - Inches Wind- Miles per Hour The second of th

NORMALS, MEANS & EXTREMES

0

L	, a . V M\$+/a	·)	
	, ,	11 1 01-100 01000	-
	****	A 200 10 000 100 0	ij Na ve
		T NOODEL WONDON W	de la propertie de la properti
		A A SHOUSE A MARKET TO THE	A STATE OF THE STA
7. 7.4	× // 101%	A CAMERO BROAD B	ନ୍ଦି ଅନି ଅନ୍ତିକ୍
	- "	A harany Canyon &	1
1 5	* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A BARBAR STATES	
	\$500 200	o A Namera Spanes 3	* **
	13 7	To proper of the second of the	
	P. M. 51 -10.	A A A A A A A A A A A A A A A A A A A	
	##*** (#g _ #/ 	A APRAMA GUNDA A 123	13 95 3
	-	4 474000 500000 4 505	The tast of the following the
	2	1	
-,		a A dhana kangaa a bag	
3	(TA)	ה משאמתה מאשים או	
1		A STORES ELLINES & MO	4 4 4
<u> </u>) 10 (1 5 P)	# # # # # # # # # # # # # # # # # # #	Conf. Word I designed the control of programmers of the first states of the control of the contr
18.5	A 71 5 3		, M2 E
Ke allow	A 71 5 2	E product acoung a con-	A. 7
	THE	A PARTIE CARRE P	
	1 1-11		The state of the s
	204 Eq. 1	Manual Conservation of the	
	* *	record name in the state of	
		100000	
	, (C ===	# 000mg 000mg 0 7 mg	
	ATT CHECK	more comment of the state of th	Section 19 Charles of the Control of
,		**************************************	
مجافق يبرد سادا)·-1		
1	∂.cz. sz * szg		
	-		The state of the s
- 1			
- [1 0 × 2 - 1 × 1 × 3		
- 1	***	Minute that the rest house and the second of	
į		A Principal Control of the Control o	
	1 415- 4	Burston thomas is a first	rin Aud i
_ [\$ 1 × 1 mg/1 1 2 kmg.		
- ;	See See See	AND THE STATE OF T	25
	24.54	25555 255732 45 555 55 2 47772 74874 4 555 55	
I		PARTIES SERVICE OF THE PROPERTY OF THE PROPERT	
-	:		
•			- 1
	,	THE CONTROL OF THE CO	
		The Professional and the Control of	,
			** **

U. S. Department of Commerce National Oceanic and Atmospheric Administration Environmental Data Service Publication. Local Climatological Data of Marquette, Michigan. Source:

Dimensional Units:

Temperature - Degrees Fahrenheit Precipitation - Inches Snowfall - Inches Wind - Miles per Hour

PRECIPITATION (inches)

1	27.43	ř	٠.	?		3		•					٠.	۲.		٠.				٠.	٠	٠.	÷		,					25.4	4	7.57		?							Š	*				(4.5)		1	4.14
إ		•	٠,	٠.			7	٠.	. "	•	•							3	-	- x 4	(* *	•••	•				::		:	^					•	~.	3.	•	- "	•		•	•	*	-		Ļ		~
2		-								•	•	•	•	٠.	;	٠.	ç						;					÷	:	- 1		•	٠,	٠			,	•	:,	•			,	-	o.	•	:		
		•	•	-		_	,	1					-	•		*	٠.		e i	:			Ċ			,	•		•	*		1	**							÷	-			•	•		•		:
۸۱	2	•	4	-	•	5				,	7			ŕ		4					*	;			,	ri i		×		,				*		•		•	•	•	,		× 64						
ž								•	•	•	4		•	**		•	÷	_	3	٠.	-		4.7			:	•	~	7	٠	٠,		•			u	-	:									٥	_	1
- 1		۰.	-:		-						•	-	,	٦,	ţ.	-4	· ·		-	٠.	Z	*	7		Ť	٦,		*	•	•		•	•	Ž		*	:	•	٠,	٠.	•			-	٠.		4	_	
5	1		•	;*			•				j		٠,	٠,	٠.	٠.	~		٠,	٠.	٠.		~				c	·.		•									^	•	,	~ .		1			*		-
) '. -		: •	٠,		•		*	•			• •		,			~	•	- 1			٠,			٠			٦.	,							-		~	-	•	1		×	6 T			`		•
	3 a		٠,	٠,٠	•	•		:		٠.	٠,	-	٠,		-	٠,			•			•	, ,	:	٠.	٠.		^	٠.		• • • •	٠.	•						•	,	-							_	
	i :		•	•	ů	•								-		٠.			-	-				٧	**		5	:				, i										,	٠.				,	_	•
_			,				- *		?	•	•				. :			,							;	,		_	-			*	•					=	ź	•			•	٠. *	* .	-	;	_	•
77	1			7		-	* * *	٠.	٠	•			,	: •	•						: -	-			-							•			di .	- 3	, a						· -:	:		•			-
*	١.	- 44	:		*		×						-					:	- 4					-		# FE	. x	٠,	y		:	,	•		,			-						- ·			•		•

SNOWFALL (inches)

13	000	7476	44444	20000	00000	27.404	~~~~	40.700	:
101	~~~	20.220		rore.	****	2000			2
June	000	00 00	0000	00000	00000	00000	30000		3
1 2	200	37-62	3	-22	+	-77	~	33.32	
pr. [M	27.5	00010	24420	22215	NF 74 7.		70705	77.00	
15	335	- W. W. W. W.	- ひゃっぱ		N N		"e 25 c 7.) "		
Mar	#3°	7,4,5,4	1222	4464	14446	21429	.43.554	##**##	<u>.</u>
Feb	555	00000	20022	25022	2000	*****	25.44.5	P4 Py 1/2 114 PM	2.3
J.k.n	37.3	20.44.0	24322	50000	01/500	*****	44 000		÷
Ž		84057	2000	F04-0		2000	22222	~ * * * * * * * * * * * * * * * * * * *	
Nov.	707	2222	20044	2000	200	33725	2010	4077	12
Sa.		54,00	,	0-0	F	- 1 NO	7-7-2	0.17 NV	38
Įģ	200	-6666	30000	10000	, oco	67 66		70000	-3
Aur IS	560	60000	00660	001/00	6000	70000 00000	00000	ในกรณีก็ ขบังขับ	65
13	500	00000		00000	00000	00000	00 600	30000°	20
100	1775	44444	11111	37.77.7	57,533	11111	53.255	20000	77 1.1
3,	1000	*****	11111		00000	22022	1622	53555	25

U. S. Department of Commerce National Oceanic and Atmospheric Administration Environmental Data Service Publication. Local Climatological Data of Marquette, Michigan. Source:

AND THE RESERVE OF THE PROPERTY OF THE PROPERT

18

AVERAGE TEMPERATURE ('F)

Ignuy	55		7-	_	::	32	-	::	-		- 0::3	.5.7	0,7	7:	;		::	~	0,0	<u>::</u>	;; ;;	~					 :::
Dec. A	~~		**	. ~	•••	***		•~		•~	~~	ř	~ ~		:		<u> </u>	\$ 	2:	::	::	::		2.4	≎	÷	
. Ne	=7										 	-~ :	-		-	ia.		_	- 	•		- <u>-</u> -	: :		<u>;</u>		
Sept. O. t.	33	. , : ; ; ⁻	- 	^ •	.,	-	5				~ 1	•			-	75		3	- <u>.</u>	 	;; ;;		, n				10
1.205	33	30	9	٠,		ه ۳۰ دور د			į;			ć	3		;		<u> </u>	:	ċ	ii	*** ***	::	::	2.	\$; ;	25
17.7. 17.4	22	ii II	-4.4	4					5: -02	77.	23	-5	27				3	•			33 33	•	::			: :-	
May Ju	25	17	2,2									•		• • •					-	17		-				- :	**
A).4	22	~~	~ -		~~	;;		?		•	, ?! 	-	•				? .	3	<u> </u>	:;	*** *** ***	- 2 - 2	: ;	7.00	:		77
14	3.4	35. 114.	<u>~</u> ~	•		~			- م			~	-	***	:	~ A+ 1						- ::		~~	*	-	
Jun .	為					*														<u>ر</u>	-	~	,	7 7		•	-7
1817	1.5	::		-	•	::					77	-	7			# F			***		7.0	,	;:	4 4	-	ÿ,	7

TOTAL DEGREE DAYS

12	292	123.4	700000	27728	55755	ಸನಿವರ್ಧ	32225	25555	2
3	***	22.22	41.44.0	2:32:	45000	2444	23222	45323	3
5,7	7237	*****	-3	2000 F	0 ~ 0 ~ 0	*****	77 707		
16			(1) H 4 /	2222	22722	52575	52525	32323	ີ ບ
ڄ	FR								
1 5.	720	52256	10000	20,000	25355	07585	22227	55555	
Ž.	100	44110	4444	****	W119W	21222	20122	22223	2
	7-8	4000	-100757	*****	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~	75955	3 F 4 NU	-, -
ä	242	V - 0 - 0 - 0	20.535	52345	22222	20077	200:0	27752	ž
5								-, -,-	,-
1	22.2	C () P +	_A.C.5.V_	-	1.2.52.32	אַמָּטּאָאַר.	20022	BRALLA	7
Ê	202	20722	M12.57.44	2222	M 14 O 14 M	22222	22222	220 22	
	200	~ Ja 6 7 4	マンジャン	-842.72	F	マコンマン	~~~~~~	77777	·*
12	222	30,40	22227	***	22.28%	22222	20127	24752	ä
1	~~~		~~~~		********	PI PI PI PI PI			
3	200	MAI P	21.72.7	20122	25.25.2	22222	= 22.7.5	25,732	3
14	22.4	22277	20025	20000	12212	nenga	22222	22755	2
પ્	755	30000	10000	27700	35.400	20000		40,000	15.00
å	23.2	22222	2222	22222	AAAAA	22276	2000	227.27	22
	250	6 N 2 G O	7.17.77	~/2000	<i>6</i> ~00€	*****	A-NAO	*****	~~
è	202	6666	5555	23623	20110	2224	22222	25040	22
1%		23777		,,,	22 11.0	200		-	
1.7	~~~	76555	77.75	23225	2222	23026	57625	7.42.7.	75
3	364	40000	were ww	94444	****	40049	4444	20019	32
3	W 66 5-	7.0163	**********		75°C 473737	-0424.1	- マツンスクムー	ルムパラカー	ــــــــــــــــــــــــــــــــــــــ
Į ą	2::2	2222	22.22.2	24722	2000	****	*****	22222	23
ň	273.50	"Carriera"			*3##A				
ij	725	22223	35236	27222		22.22	33.55	~~~~~	-, <u>x</u>
14	~	-	~~	-	~~				-
	245	73352	25.5	25322	70352	20300	~~~~~	27024	-50-
3	<u> </u>			2.12.11	2-44			~~~	~ ~
25	27377	77775		27253	#204 P	00.00			~~~
5	777		11/1/	11111	*****	24444	41111	****	71
1	222	25222	37533	35555	544444	212222	0 0 0 0 C	22522	2::
13	222		56555	500 P	20000	20700	55555	12212	25
	•	•							

U. S. Department of Commerce National Oceanic and Atmospheric Administration Environmental Data Service Publication. Local Climatological Data of Marquette, Michigan. Source: